


IMPORTANT NOTES

- *This radio controlled helicopter is not a toy.
- * This radio controlled helicopter can be very dangerous.
- *This radio controlled helicopter is a technically complex device which has to be built and handled very carefully.
- * This radio controlled helicopter must be built following these instructions. This manual provides the necessary information to correctly assemble the model. It is necessary to carefully follow all the instructions.
- *Inexperienced pilots must be monitored by expert pilots.
- *A radio controlled helicopter must only be used in open spaces without obstacles, and far enough from people to minimize the possibility of accidents or of injury to property or persons.
- * A radio controlled helicopter can behave in an unexpected manner, causing loss of the model, making it very dangerous.
- *Lack of care with assembly or maintenance can result in an unreliable and dangerous model.

***Neither XLPower nor its agents have any control over the assembly, maintenance and use of this product.**
Therefore, no responsibility can be traced back to the manufacturer. You hereby agree to release XLPower from any responsibility or liability arising from the use of this product.

SAFETY GUIDELINES



- *Fly only in areas dedicated to the use of model helicopters.
- *Follow all control procedures for the radio frequency system.
- *It is necessary that you know your radio system well. Check all functions of the transmitter before every flight.
- *The blades of the model rotate at a very high speed; be aware of the damage they may cause.
- *Never fly in the vicinity of other people.






Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

BB-1



Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

Flat Head Cap Screw
平头螺丝
M2.5×6



Bearing
轴承
10×19×5

Screw
螺丝
M2.5×6

BB-1-4

Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

BB-4
BB-5
BB-1-6

Flat Head Cap Screw
平头螺丝
M2.5×6

Washer
垫片
2.5×5.5×0.5

Screw
螺丝
M2.5×8

Set Screw
顶丝
M3×3

BB-1-7
AB-1-2


电机轴5mm的话，
需要铜套转接

Set Screw
顶丝
M3×3

Screw
螺丝
M3×10

Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶


BB-2 BB-1-5






Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

BB-2
BB-1-5



AB-1-1



Ball
球头
4.72×8.3

Screw
螺丝
M2.5×10




Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

BB-3


Note: Gently lock, avoid
slipping screw
注意轻轻锁紧螺丝，避免滑丝

Screw
螺丝
M2×6



图例说明：螺丝规格（M2）

Screw
螺丝
M3×8



Already Assembled
已组装好


图例说明：螺丝规格（M3）




Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

BB-3
TB-1-2

Set Screw
顶丝
M3×3



Belt
皮带




Washer
垫片
10×16×0.2

Washer
垫片
10×16×0.5

Pin
3×17


卡簧

皮带向右转90°




Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

TB-1-1




Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

TB-1-1
TB-1-2



TB-2
TB-3



如果使用黑色尾管可以缠一层
透明胶，更好的固定尾管
If you use black tailboom, please put
a stripe of tape on the tailboom

Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

TB-1-3
TB-2

Screw
螺丝
M3×30

Ball
球头
6MM




Nut
螺母
M3

CA Glue
涂上502胶水

CA Glue
涂上502胶水

14MM



9MM





Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

HB-1 AB-1-1





Apply a little amount of 243
thread lock when fixing a
metal part
螺丝需上螺丝胶

AB-1-1

Ball
球头
4.72×14.2

Screw
螺丝
M2.5×10



Screw
螺丝
M2.5×10

Ball
球头
4.72×14.2

Screw
螺丝
M2.5×10